



兔抗 DBH 多克隆抗体

中文名称：兔抗 DBH 多克隆抗体

英文名称：Anti-DBH rabbit polyclonal antibody

别 名：DBM

相关类别：一抗

储 存：冷冻 (-20°C)

抗 原：DBH

宿 主：Rabbit

反应种属：Human, Mouse


标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is an oxidoreductase belonging to the copper type II, ascorbate-dependent monooxygenase family. It is present in the synaptic vesicles of postganglionic sympathetic neurons and converts dopamine to norepinephrine. It exists in both soluble and membrane-bound forms, depending on the absence or presence, respectively, of a signal peptide.
Applications:	ELISA, WB, IHC
Name of antibody:	DBH
Immunogen:	Fusion protein of human DBH

Full name:	dopamine beta-hydroxylase (dopamine beta-monooxygenase)
Synonyms :	DBM
SwissProt:	P09172
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	69 kDa
WB Positive control:	Mouse liver tissue
WB Recommended dilution:	200-1000



mlbio 海聯生物
Good elisakit producers

