

兔抗 SLC4A8/10 多克隆抗体

中文名称: 兔抗 SLC4A8/10 多克隆抗体

英文名称: Anti-SLC4A8/10 rabbit polyclonal antibody

别 名: NBC3; NDCBE/NCBE; NBCn2

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: SLC4A8/10

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Ts) that regulate the intracellular pH of ne urons, the secretion of bicarbonate ions ac ross the choroid plexus, and the pH of the brain extracellular fluid. The protein encode d by this gene was initially identified as a sodium-driven chloride bicarbonate exchan ger (NCBE) though there is now evidence t hat its sodium/bicarbonate cotransport acti vity is independent of any chloride ion cou

This gene belongs to a small family of sod ium-coupled bicarbonate transporters (NCB

ntertransport under physiological condition



	s. This gene is now classified as a member A10 of the SLC4 family of transmembrane solute carriers. Alternative splicing results in multiple transcript variants encoding distinct isoforms.
Applications:	WB
Name of antibody:	SLC4A8/10
Immunogen:	Synthesized peptide derived from internal of human SLC4A8/10.
Full name:	solute carrier family 4, sodium bicarbonate transporter, member 8/10
Synonyms :	NBC3; NDCBE/NCBE; NBCn2
SwissProt:	Q6U841/Q2Y0W8
WB Predicted band size:	126 kDa
WB Positive control:	COLO cells lysate
WB Recommended dilution:	500-3000

