

兔抗 DAB2 多克隆抗体

中文名称：兔抗 DAB2 多克隆抗体

英文名称： Anti-DAB2 rabbit polyclonal antibody

别 名： DOC2; DOC-2

相关类别： 一抗

抗 原： DAB2

储 存： 冷冻（-20℃）

宿 主： Rabbit

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This gene encodes a mitogen-responsive phosphoprotein. It is expressed in normal ovarian epithelial cells, but is down-regulated or absent from ovarian carcinoma cell lines, suggesting its role as a tumor suppressor. This protein binds to the SH3 domains of GRB2, an adaptor protein that couples tyrosine kinase receptors to SOS (a guanine nucleotide exchange factor for Ras), via its C-terminal proline-rich sequence, and may thus modulate growth factor/Ras pathways by competing with SOS for binding to GRB2. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Applications:	ELISA, WB, IHC
Name of antibody:	DAB2
Immunogen:	Fusion protein of human DAB2
Full name:	DAB adaptor protein 2
Synonyms:	DOC2; DOC-2
SwissProt:	P98082
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human tonsil and Human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	82 kDa
WB Positive control:	Hela cells
WB Recommended dilution:	500-2000



